


MODULAR PRO LIGHTING





ABOUT MODULAR PRO LIGHTING

Having accesse to the state-of-the-art and high-quality lighting products has always been a concern for the architects and interior designers. Analyzing the similar products of the leading lighting companies in the world, Modular Pro Lighting Company has localized, designed and produced cutting-edge lighting products due to their demand in domestic market. The expert team of Modular Pro has provided a diverse variety of the latest lighting products with high-quality and reasonable price for designers and architects by processing and developing modular thinking in design, manufacturing and product installation. Having the ability to compete with similar products from overseas has made Modular Pro Lighting Company one of the main choices for designers and architects. We hope that we will be able to play a significant role both in domestic and foreign market by producing and introducing Iranian high-quality products to the world.






Modularity

Modularity is about creating one design that has multiple applications. Extending product families beyond what seems possible. Assisting, stimulating and inspiring interior designers and architects, with almost limitless options. Our fixtures and linear lighting strengthen the architecture of residential homes, hospitality venues, shops and offices. Our showrooms, sales organization and vast network of partners make us truly nominant.




Remote Control Everything!













Dimmable



Magnetic(PNP)



Remote Control



Module Controler



Choosable size



Modular



Multiple Luminary



Easy installation




RGB




TW












The resizable modules of Arena family help us to change the amount, size, and design of the light dynamically to meet our temporary and long-term needs.

Extend The light to your life



Application





Sizable Module





Choose Your Colour


Choose Your Installation recessed as Trimless &

Choose Your length Starting from 60 cm

Available in 56 and 72 width









Available in Types

Ci	(+	
Magnet	Dimmer	LED	Driver	Types
_		No Name LED	No Name Driver	1
_		No Name LED	No Name Driver	2
_		Tridonic Made in Austria	Tridonic Made in Austria	3
✓	_	Tridonic Made in Austria	Tridonic Made in Austria	4
✓	✓	Tridonic Made in Austria	Tridonic Made in Austria	5



Control Everything!
Would You
Like More?

Dimmer Switch is Available





TECHNICAL INFORMATION OVER VIEW

Intended use _____

Easy to install Fast installation Easy to repair

Long life span


No space is needed for power supply(220V)

Easy to adjust the length without manipulating LED modul

Suitable for indoor use (IP43)


Compatible with dry-wall details

Suitable for various applications (trimless recessed/ flanged recessed/pendant and surface mounted)




INSTALLATION DETAILS

Application _



- 1- Trimless recessed 562- Framed recessed 563-Installation fixture4-F47 dry-wall main structure5-F47 dry-wall substructure
- 6-Gypsum panel 7-Pendant/SM 56 8-Pendant /SM 72

Trimless Recessed Application Detail




General information _

Applications			
Trimless recessed	Available		
Flanged recessed	Available		
Surface mounted	Available		
Pendant	Available		

Material/Surface				
Main body	Extruded alminium			
Body paint	Electrostatic paint			
Body colors	White/Sand Gray/Black			
Diffuser	Extruded polycarbonate			
Fixture	Plated steel			
IP	42			


Rail information




Rail 56	Surface mounted	Flanged	Trimless		
Profile width[mm]	56	81	110		
Profile height[mm]	95				
Total height[mm]	9 5	130	9 5		
Length[mm]	Unlimited >60				
Gap width for installation[mm]		6 5			
Weight[kg/m]	1.6	2	2.1		

Rail 72	Surface mounted	Flanged	Trimless	
Profile width[mm]	72	97	126	
Profile height[mm]	95			
Total height[mm]	9 5	130	9 5	
Length[mm]	Unlimited >60			
Gap width for installation[mm]	_	80		
Weight[kg/m]	1.8	2.1	2.2	

Accessories .




- 1-Main rails
- 2-Ceiling to wall corners module
- 3-Ceiling to ceiling corners module
- 4-Caps
- 5-Magnetic connector



Physical properties		Fixed length module		Variable length module
Length[mm]		60 , 120		70 ~120 /130 ~180
Profile width[mm]		38	. \	43
Profile height[mm]	A	29		34
Weight[kg]		0.25_ 0.5		0.33 _ 0.8

Electrical specifications	Fixed length module	Variable length module	
Power[w]	18	_36	
Dimmable	Opt	ional	
LED class	A	&B	
LED circuit	Contant	Current	
Working temperature	-25degree	+50degree	
Input voltage	210~	265 v	
THD	<15%		
PF[%]	>0.9		
Driver type	Isolate		
Driver current[mA]	240		
Life span[hrs]	>50000		

Exposure	Fixed length module	Variable length module		
Lumens[Im]	2340_ 4680			
Beam angle	120			
Mac Adam index	3			
Available temperatures[k]	3000/4000/5000			
Efficiency[lm/w]	80			
CRI	>80			







Modular prolighting

© 09374039911



let there be light Modular pro lighting

